

PRDJEC TION

₽⊕

Date: 2017 Dec. 1

SPEC ND.

HDPO-0676-00

COMMON DIMENSIONS					
SYMBOL	MIN.	NOM.	MAX.		
A	0.70	0.75	0.80		
A1	0.00	0.02	0.05		
A3	0.203 REF				
b	0.15	0.20	0.25		
D	10.00 BSC				
E	10.00 BSC				
D2	6.10	6.20	6.30		
E2	6.10	6.20	6.30		
е	0.40 BSC				
L	0.35	0.40	0.45		
к	0.20				
ممم	0.10				
bbb	0.07				
ссс	0.10				
ddd	0.05				
eee	0.08				

NOTES :

- 1. DRAWING CONFORM TO JEDEC REFERENCE MO-220.
- 2. DIMENSIONING AND TOLERANCING SCHEMES CONFORM

TO ASEM Y14.5M-1994.

- 3. ALL DIMENSIONS ARE IN MILLIMETERS.
- 4. 🔀 HATCH AREA IS SOLDERABLE EXPOSED PAD.

UNLESS OTHERVISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. TOLERANCES ARE.	TITLE PACKAGE OUTLINE QFN 10.0x10.0mm 88Ld 0.40Pitch (EPAD 6.20x6.20) Max. 0.80T_Non Pull-back				
DECDMALS ANGLES X.X ±0.1 ±1* X.XX ±0.05 X.XXX ±0.050	рид на HMP-PO-0880	N-201	REV 00	^{SHEET} 2/2	
PROJECTION Date: 2017 Dec. 1	SPEC ND.	HDPO-0676-00			